

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10376	(709/203) .CCLS.	US-PGPUB; USPAT	OR	OFF	2009/05/09 11:06
L2	5998	(709/219) .CCLS.	US-PGPUB; USPAT	OR	OFF	2009/05/09 11:06
L3	0	(715/513) .CCLS.	US-PGPUB; USPAT	OR	OFF	2009/05/09 11:06
L4	746	(719/316) .CCLS.	US-PGPUB; USPAT	OR	OFF	2009/05/09 11:06
L5	111	exten\$4 with (awt swing gui near2 api jtc) and java	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/09 11:06
L6	12	over\$writ\$3 with (awt swing gui near2 api)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/09 11:06
L7	12	over\$writ\$3 with (jtc awt swing gui near2 api)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/09 11:06
L8	5	re\$implemen\$3 with (awt swing gui) and thread \$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/09 11:06
L9	16	replac\$3 same (awt swing gui near2 api jtc) and java and thread with event	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/09 11:06
L10	2	replac\$3 with (gui near2 api standard near2 graphical) and java	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/09 11:06
L11	97	replac\$3 same (awt swing gui near2 api jtc) and java	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/09 11:06

L12	39	(over adj rid\$3 over\$rid\$4) same (awt swing gui near2 api jtc jfc) and java	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/09 11:06
S230	1	(user adj interface ui screen) adj record with client with server	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 15:35
S231	1074	(user adj interface ui screen) near2 (generat\$3 creat \$3 implement\$3) with client with server	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 15:36
S232	369	(user adj interface ui screen) near2 (generat\$3 creat \$3 implement\$3) with client with server and java	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 15:36
S234	80	(user adj interface ui screen) adj record and java	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 15:39
S238	17	re\$implement\$3 with (awt swing gui)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 20:06
S239	4356	(replace customiz \$6 over\$rid\$3 over adj rid\$3) with (awt swing gui)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 20:15
S240	163	(replace customiz \$6 over\$rid\$3 over adj rid\$3) with (awt swing gui) with client	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 20:15
S242	10	(replace customiz \$6 over\$rid\$3 over adj rid\$3) with (awt swing) with (gui user adj interface ui)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 20:27

S245	11	screen adj record with client	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 20:32
S247	56	screen adj (definition template) with client	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 20:36
S248	6	screen adj (definition template) with client with (gui user adj interface)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 20:36
S249	148	(gui user adj interface) near2 (definition template) with client	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 20:37
S250	5	(gui user adj interface) near2 (definition template) with client and (awt swing)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 20:37
S252	0	(gui user adj interface) near2 (definition template record) with client near profile	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 20:53
S253	1	(gui user adj interface) near2 (definition template record) same client near profile	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 20:53
S254	6	(gui user adj interface) near2 (definition template record) same client with profile	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 20:54
S255	2	(gui user adj interface) near2 (definition template record) same device near profile	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 20:54

S256	30	(gui user adj interface) near2 (definition template record) with profile	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 21:06
S260	277	(gui user adj interface) near2 (defin\$3 customiz \$3 adapt\$3) with profile	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 21:11
S261	23	(gui user adj interface) near2 (defin\$3 customiz \$3 adapt\$3) with profile near (device client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 21:11
S263	25	(gui user adj interface) near2 (chang\$3 modif\$4 defin\$3 customiz \$3 adapt\$3) with profile near (device client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 21:16
S265	40	(gui user adj interface) near2 (chang\$3 modif\$4 defin\$3 customiz \$3 adapt\$3) same profile near (device client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 21:17
S267	128	(gui user adj interface) near2 (chang\$3 modif\$4 defin\$3 customiz \$3 adapt\$3) same type near (device)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 21:18

5/9/09 11:07:22 AM

C:\Documents and Settings\LZhen\My Documents\EAST\workspaces\10017183C.wsp